

Table 4.12
Cancer of the Female Breast (*In Situ*)

SEER Incidence^a Rates, Age-Adjusted and Age-Specific Rates, by Race

	All Races, Females	White Females	Black Females
<u>Age-Adjusted Rates, 2008-2012</u>			
Age at Diagnosis:			
All ages	31.7	31.9	30.6
Under 65	23.5	23.7	21.2
65 and over	88.1	88.3	95.5
All ages (IARC world std) ^b	23.9	24.0	22.9
<u>Age-Specific Rates, 2008-2012</u>			
Age at Diagnosis:			
<1	-	-	-
1-4	-	-	-
5-9	-	-	-
10-14	-	-	-
15-19	-	-	-
20-24	0.2	0.1	-
25-29	0.7	0.6	0.9
30-34	2.7	2.5	3.8
35-39	10.8	10.9	10.2
40-44	40.7	41.1	32.9
45-49	61.6	62.9	48.0
50-54	73.1	74.6	61.1
55-59	74.7	74.8	74.2
60-64	88.5	87.9	97.9
65-69	107.5	107.6	110.5
70-74	101.0	100.8	113.5
75-79	93.1	93.8	100.4
80-84	68.4	69.6	75.2
85+	32.9	32.4	40.0

^a SEER 18 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

^b Rates are per 100,000 and are age-adjusted to the IARC world standard population.

- Statistic not shown. Rate based on less than 16 cases for the time interval.